

# INDEX MAPS.

## T.27N. R.9E. 2<sup>nd</sup> Mer.

Meandering of Salamanc R. 179

	144		143		143		143		142			
146	6	171	5	164	4	159	3	155	2	157	1	142
	170		170		164		159		155		157	
146	7	170	8	163	9	159	10	154	11	150	12	142
	169		169		163		158		154		150	
146	18	169	17	163	16	158	15	154	14	150	13	141
168	168		167		162		158		153		149	
145	19	167	20	162	21	157	22	153	23	148	24	141
	167		166		162		157		153		148	
145	30	166	29	161	28	157	27	152	26	148	25	141
	166		165		160		156		152		147	
144	31	165	32	160	33	156	34	152	35	147	36	140
	140		140		140		139		139		139	

## T.28N. R.9E. 2<sup>nd</sup> Mer.

Meandering of Wash R. 199  
to Little River 215

	186	186	186	185	185	185						
188	214	214	214									
	6	5	4	3	213	2	211	1	184			
					214	213		211				
	7	8	9	10	212	11	211	12	184			
	Reserve of 10 Sections				213	212		210				
188	18	17	16	15	193	14	191	13	182			
						193		191				
188	19	20	21	22	193	23	190	24	183			
	216=198	199	198	197	196	194	192	190				
187	30	198	29	196	28	194	27	192	26	189	25	183
	216=197		197	196		194		191		189		183
187	31	197	32	195	33	193	34	191	35	189	36	183
	182		182	181		181		181		181		183

The figures on the lines refer to the page.

Township 28 North, Range 9 East, 2<sup>nd</sup> Mer. Ind<sup>181</sup>

South Boundary

Var. 6° 45' E.

West on S. Side of Sec. 36-

35.63 a Beech 24 in. dia.

40.00 Set gp. sec. post from which

an Ash 24 in. dia. bears S 80 E 25 W. dist. 1/2

an Ironwood 8 " " " N 1 E 3 " "

59.81 a R. Oak 36 " "

80.00 Set post cor. to Sect. 35 & 36 from which

an Ash 24 in. dia. bears S 34 W 6 W. dist. 1/2

a Sugar 18 " " " N 40 W 13 " "

Land rich, Timber Beech. Sugar. Ash &c.

West on S. Side of Sec. 35

.40 a Hickory 12 in. dia.

40.00 Set gp. sec. post from which

a Beech 12 in. dia. bears S 73 E 8 W. dist. 1/2

a Do 12 " " " N 48 W 7 " "

80.00 Set post cor. to Sect. 34 & 35 from which

a Dogwood 8 in. dia. bears N 47 W 10 W. dist. 1/2

a Beech 24 " " " S 3 E 33 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 34

2.91 a Beech 24 in. dia.

40.00 Set gp. sec. post from which

a Maple 12 in. dia. bears N 34 E 5 W. dist. 1/2

a Do 24 " " " S 14 E 5 " "

43.00 a Branch 15 W. wide cor. N.W.

52.50 Do 15 " " " N.E.

80.00 Set post cor. to Sect. 33 & 34 from which

an Elm 24 in. dia. bears N 26 W 6 W. dist. 1/2

a Hickory 10 " " " S 34 E 8 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 33.



T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana.

40.00 Set q. sec. post from which  
an Ash 10 in. dia. bears S 28 E 9 W. dist. 1/2  
a Do 10 " " " N 47 W 14 " "

68.13 a Beech 24 " "

80.00 Set post Cn. to Secs. 32 & 33 from which  
an Ironwood 8 in. dia. bears S 58 E 12 W. dist. 1/2  
a Spruce 24 " " " S 53 W 31 " "  
Sand & Timber same as on the last line.

West on S. Side of Sec. 32

40.00 Set q. sec. post from which  
a Beech 12 in. dia. bears S 41 W 8 W. dist. 1/2  
an Ash 24 " " " N 25 W 4 " "

72.68 a Beech 24 " "

80.00 Set post Cn. to Secs. 31 & 32 from which  
a Beech 12 in. dia. bears N 73 E 16 W. dist. 1/2  
a Do 24 " " " S 27 E 15 " "  
Sand & Timber same as on the last line.

West on S. Side of Sec. 31

31.50 a Branch 10 W. wide Cornu M.M.

40.00 Set q. sec. post from which  
a Beech 10 in. dia. bears S 11 E 2 W. dist. 1/2  
a Sugar 12 " " " N 43 W 12 " "

57.50 Intersect E. Bound. of Six mile Reserve  
Set post from which.

an Ash 24 in. dia. bears N 18 W 19 W. dist. 1/2

a Do 24 " " " S 81 E 16 " "

April 2<sup>nd</sup> 1820 J. M. Donald

Continuation by C. Carter. (var. 5' 50" E)

Beginning at E. Boundary of Reserve.

15.66 Intersect Range line at Post Cn. to  
Towns 27 & 28 North. Ranges 8 & 9 East.  
a W. Oak 24 in. dia. bears N 45 W 7 W. dist. 1/2  
a Beech 10 " " " S 27 W 28 " "

T. D. N. R. & Co. 2<sup>nd</sup> Mer. Indiana. 183

East Boundary

Var. 6° 15' E.

North on E. Side of Sec. 36.

- 40.00 Set g. sec. post from which  
a Buckeye 12 in. dia. brass S 46 E 9 W. dist. 8  
a W. Oak 24 " " " S 83 W 44 " "  
48.54 Intersect Wabash River & set post from which  
a Locust 12 in. dia. brass N 51 E 7 W. dist. 8  
a Beech 24 " " " S 65 W 18 " "  
51.70 Over River & set post from which  
an Ash 12 in. dia. brass S 47 W 2 W. dist. 8  
a Do 12 " " " N 59 E 37 " "  
80.00 Set post Co. to Secs. 25 & 36 from which  
a Walnut 24 in. dia. brass S 31 E 33 W. dist. 8  
a Buckeye 12 " " " N 76 E 23 " "  
Sand rich. Timber Beech. Sugar &c.

North on E. Side of Sec. 25

- 1.50 a Sugar 24 in. dia.  
40.00 Set g. sec. post from which  
a Hickory 24 in. dia. brass S 44 E 27 W. dist. 8  
a Do 8 " " " N 8 W 17 " "  
80.00 Set post Co. to Secs. 24 & 25 from which  
a Beech 12 in. dia. brass N 55 E 16 W. dist. 8  
a Do 30 " " " N 17 W 16 " "  
Sand & Timber same as on the last line.

North on E. Side of Sec. 24

- 22.00 a Branch 15 W. ends Corn N.W.  
40.00 Set g. sec. post from which  
a H. Oak 36 in. dia. brass N 30 W 9 W. dist. 8  
a Beech 24 " " " S 40 W 31 " "  
80.00 Set post Co. to Secs. 13 & 24 from which  
a Beech 12 in. dia. brass S 45 E 5 W. dist. 8  
a Do 12 " " " N 47 W 12 " "  
Sand & Timber same as on the last line.

J. D. N. R. G. E. 2<sup>nd</sup> Mor. Indiana

North on E. Side of Sec. 13.

- 40.00 Set g. sec. post from which  
 a W. Oak 24 in. dia. bears N 69 W 11 mi. dir. &  
 a Do 24 " " " N 25 E 14 " "  
 65.38 Intersect Little River & set post from which  
 a Beech 34 in. dia. bears N 60 W 27 mi. dir. &  
 a W. Oak 24 " " " N 85 E 58 " "  
 April 3<sup>rd</sup> 1829 Surveyed by  
 John McDonald

Sep. Surv.

Continued by D. Willis D. S.

Beginning at post on E. E. bank of Little R.

- 3.96 Iron Run & set post on N. W. bank. from which  
 a Hickory 5 in. dia. bears N 47 W 36 mi. dir. &  
 a Do 6 " " " N 36 W 36 " "  
 14.62 Set post Co. to Secs. 12 & 13 from which  
 a B. Oak 15 in. dia. bears N 82 W 83 mi. dir. &  
 a Hickory 14 " " " N 36 W 56 " "

North on E. Side of Sec. 12

- 27.70 a Bur. Oak 10 in. dia.  
 40.00 Set g. sec. post from which  
 a B. Oak 14 in. dia. bears N 63 W 13 mi. dir. &  
 a Bur Oak 16 " " " N 28 W 23 " "  
 45.00 Enter a Prairie  
 60.00 Leave the do  
 64.96 a W. Oak 14 in. dia.  
 80.00 Set post Co. to Secs. 14 & 12 from which  
 a Beech 20 in. dia. bears N 59 W 39 mi. dir. &  
 a Do 20 " " " N 66 W 46 " "

North on E. Side of Sec. 1

- 28.56 a Hickory 16 in. dia.  
 40.00 Set g. sec. post from which  
 a B. Oak 6 in. dia. bears N 7 W 35 mi. dir. &  
 a Do 6 " " " N 47 W 2 " "

T. 28 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana. 185

- 65.23 a Bur Oak 15 in. dia.  
 80.17 Set post at fur. Co. to Town 28 & 29 North,  
 Range 9 & 10 East.  
 a W. Oak 34 in. dia. bears N 65 E 11 W. dist. 1/2  
 a Hickory 18 " " " N 68 W 30 " "

North Boundary.

- var. 6° 15' E -  
 West on S. Side of Sec. 36 T. 29 N. R. 9 E.  
 35.25 a S. Oak 17 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Gycamm 40 in. dia. bears N 86 E 27 W. dist.  
 a Hickory 13 " " " N 14 W 37 " "  
 61.32 a Maple 21 " "  
 80.00 Set post Co. to Sec. 35 & 36 from which  
 a Beech 15 in. dia. bears N 66 E 51 W. dist.  
 a Do 22 " " " N 37 W 30 "  
 Land cont. 2<sup>nd</sup> rate Oak, Hickory, Elmwood, &c

- West on S. Side of Sec. 35 T. 29 N. R. 9 E.  
 29.52 a Beech 12 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Beech 12 in. dia. bears N 66 E 35 W. dist. 1/2  
 a Hickory 21 " " " N 17 W 5 " "  
 53.29 a W. Oak 34 " "  
 80.00 Set post Co. to Sec. 34 & 35 from which  
 a Beech 31 in. dia. bears N 44 E 15 W. dist. 1/2  
 a Do 6 " " " N 34 W 23 " "  
 Land & Timber same as on the last line.

- West on S. Side of Sec. 34 T. 29 N. R. 9 E.  
 22.95 a Beech 20 in. dia.  
 40.00 Set gr. Sec. post from which  
 an Elm 12 in. dia. bears N 44 E 15 W. dist. 1/2  
 a Do - " " " N 44 W 18 " "  
 49.75 a W. Oak 13 " "



T. 28 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana

80.00 Set Post Co. to Sec. 33 & 34 from which  
an Oak 12 in. dia. bears N 67 W 9 W. dir. of  
an Ironwood 6 " " " N 53 E 28 " "  
Sand lent 2<sup>nd</sup> rate. Ash. Beech. Elm. Spruce.

West on S. Side of Sec. 33 T. 29 N. R. 9 E.  
18.50 a Swamp Oak 30 in. dia.

40.00 Set of Sec. Post from which  
an Oak 7 in. dia. bears N 8 E 10 W. dir. of  
a Do 6 " " " N 16 E 26 " "

59.00 an Oak 14 " "

80.00 Set Post Co. to Sec. 32 & 33 from which  
a Dogwood 7 in. dia. bears N 70 E 17 W. dir. of  
an Elm 10 " " " N 12 W 44 " "  
Sand lent 2<sup>nd</sup> rate. Ash. Sugar. Elm.  
Beech for ung<sup>d</sup>. Spruce.

West on S. Side of Sec. 32 T. 29 N. R. 9 E.  
12.00 a Beech 20 in. dia.

40.00 Set of Sec. Post from which  
a Buckeye 6 in. dia. bears N 9 E 7 W. dir. of  
a W. Walnut 6 " " " S 72 W 13 " "

52.50 a Sycamore 18 " "

53.00 a creek 40 W. side Corns S. Rapid.

58.00 Same 40 " " " " " "

65.00 Same 40 " " " " " "

80.00 Set Post Co. to Sec. 31 & 32 from which  
a Beech 12 in. dia. bears West 6 W. dir. of  
a W. Oak 14 " " " N 76 E 36 " "  
Sand hilly 2<sup>nd</sup> rate. Limb Oak. Beech.  
Sycamore for ung<sup>d</sup>. Spruce.

West Random on S. Side of Sec. 31 T. 29 N. R. 9.

40.00 Set temp. of Sec. Post.

43.50 a Stream 6 W. side Corns S.

74.10 Intersect N. Bound. line 3.69 N. of Post.



T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana 187

Land level 2<sup>nd</sup> rate. Beech. Oak. Hickory &c

East Corner on S. Side of Sec. 31

Establish Cor. to Town 28 & 29 North, Ranges  
8 & 9 E. 25 W. N. of temp. 6 mile post.

a Beech 13 in. dia. bears N 38 E 26 W. &

a Do 12 " " " N 75 W 75 "

34.10 Set g. sec. post on true line from which

a Sugar 20 in. dia. bears N 70 E 6 W. dir. &

a Beech 6 " " " S 50 W 30 " "

74.10 So. Section Corner.

David Willis D. S. -

West Boundary.

Var. 5° 40' E -

North on E. Side of Sec. 36 T. 28 N. - R. 8 E -

36.47 an Oak 48 in. dia.

40.00 Set g. sec. post from which

a Sugar 25 in. dia. bears S 87 E 12 W. dir. &

a Beech 28 " " " N 26 W 15 " "

53.36 a Sugar 16 " "

67.23 a Beech 18 " "

80.00 Set post Cor. to Sec. 35 & 36 from which

a Hickory 18 in. dia. bears S 53 E 9 W. dir. &

a Beech 18 " " " N 86 W 17 " "

Land rolling 2<sup>nd</sup> rate. Beech. Sugar. Oak. Ash.

Elm. Hickory. Syc. Poplar &c no underbrush.

North on E. Side of Sec. 25 T. 28 N. - R. 8 E -

12.60 a Beech 15 in. dia.

29.47 a Do 6 " "

40.00 Set g. sec. post from which

an Elm 16 in. dia. bears N 48 E 13 W. dir. &

a Do 14 " " " S 70 W 13 " "

53.50 a Stream 50 W. under corner N. W.

56.00 a Hickory 24 in. dia.

T. 28 N. - R. 8 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set post cen. to Sec. 24 & 25 from which  
 a Beech 18 in. dia. bears N 70 E 24 W. dist. 1/2  
 a Do 18 " " " N 17 W 34 " "  
 Sand rolling 2<sup>nd</sup> rate. Beech. Sugar. Oak. Ash.  
 Elm. Hickory. Sycam. Poplar. &c

North on E. Side of Sec. 24 T. 28 N. R. 8 E -

9.98 a Beech 12 in. dia.

36.16 a Sugar 6 " "

40.00 Set q. sec. post from which

a Sugar 12 in. dia. bears N 59 E 17 W. dist. 1/2

a Buckeye 15 " " " N 54 E 53 " "

54.70 an Elm 6 " "

66.91 a Sycam 6 " "

80.00 Set post cen. to Sec. 13 & 24 from which

a Beech 28 in. dia. bears N 20 E 17 W. dist. 1/2

a Do 18 " " " N 17 W 33 " "

Sand rolling 2<sup>nd</sup> rate. Beech. Sugar. Oak.  
 Ash. Elm. Hickory. Sycam. Spruce &c

North on E. Side of Sec. 13 T. 28 N. R. 8 E -

11.10 a Beech 18 in. dia.

23.95 Intersect Left bank of Mabash River  
 Opposite an Island. Set post from which

an Elm 12 in. dia. bears N 50 E 5 W. dist. 1/2

a Do 10 " " " N 77 W 16 " "

Sand &c same as on the last line.

Re-Surveyed thus far in 1839 by  
 C. Carter Dep. Sur.

South on E. Side of Sec. 1 T. 28 N. R. 8 E -

23.02 Intersect Reserve line & set post fr. which

a Beech 20 in. dia. bears N 66 W 46 W. dist. 1/2

a Sugar 18 " " " N 46 E 16 " "

Sand level 2<sup>nd</sup> rate. Timber Beech &c

Resurveyed in 1828 by B. Bentley Dep. Sur.

T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana 189

Subdivision

North Petreus Sec. 35 & 36 -

22.03 a Hickory 21 in. dia.

40.00 Set gr. sec. post from which  
a Beech 8 in. dia. bears S 13 E 27 W. dist. 8  
a B. Walnut " " " N 27 E 29 " " "

40.80 a Stream 13 W. side corner N.

61.72 a Beech 36 in. dia.

68.93 a Poplar

80.00 Set post C. to Sec. 25, 26, 35 & 36 fr. which  
a Beech 18 in. dia. bears S 84 E 12 W. dist. 8  
a No 18 " " " S 88 W 5 " "  
Said fully 2<sup>nd</sup> rate. Timber Beech. Ash &  
undergrowth Ironwood. Spice &

East on Random between Sec. 25 & 36 -

40.00 Set temp. gr. sec. post.

67.76 Intersect Watash River

69.81 over River corner N.W.

79.50 Intersect E. Bound. line 2 W. E. of post.

West corner between Sec. 25 & 36 -

11.76 Set post on E. bank of River from which  
a W. Oak 18 in. dia. bears N 80 E 12 W. dist. 8  
a Beech 10 " " " S 62 E 27 " "

13.81 over River set post from which  
a Lycamore 30 in. dia. bears N 86 W 22 W. dist. 8  
a Hackberry 27 " " " S 42 W 33 " "

39.75 Set gr. sec. post at average dist. from which  
a Buckeye 5 in. dia. bears S 79 E 26 W. dist. 8  
a Beech 24 " " " S 79 W 3 " "

79.50 To Sec. Corner.

North Petreus Sec. 25 & 36 -

3.74 on Island formed by a Bayou, set post.

- a Buckeye 15 in. dia. bears 43 N 60 W. dir. of  
 aly camm 36 " " " N 4 E 18 " "  
 6.74 On Island.  
 8.45 On River (Crown M.) Set post from which  
 a B. Walnut 10 in. dia. bears 77 E 8 W. dir. of  
 on Elm 23 " " " N 88 E 16 " "  
 23.05 a Beech 18 " "  
 29.70 a Stream 10 ft. wide Crown S. M.  
 32.00 Do 8 " " " S. E.  
 37.00 Do 8 " " " West.  
 40.00 Set g. sec. post from which  
 a W. Oak 4 in. dia. bears 44 N 19 W. dir. of  
 a Beech 12 " " " N 44 E 28 " "  
 53.08 a Do 21 " "  
 80.00 Set post Cu. to Sect. 23, 24, 25 & 26 from which  
 an Ironwood 10 in. dia. bears 43 E 43 W. dir. of  
 a Beech 18 " " " N 25 W 14 " "  
 Sand & Timber as last described

- East on Random between Sect. 24 & 25 -  
 40.00 Set temp. g. sec. post.  
 79.00 Intersect E Bound. line 78 W. S. of post.

- West correct between Sect. 24 & 25 -  
 39.50 Set g. sec. post at average dist. from which  
 a Beech 13 in. dia. bears N 76 E 42 W. dir. of  
 a Do 21 " " " S 18 W 26 " "  
 79.00 To Sec. corner

- North between Sect. 23 & 24 -  
 19.26 a Cherry 12 in. dia.  
 39.76 a Stream 24 ft. wide, Course N.  
 40.00 Set g. sec. post from which  
 a B. Oak 5 in. dia. bears 54 N 46 W. dir. of  
 a Beech 12 " " " N 57 W 10 " "  
 65.55 a Red Oak 45 " "



T. 28 N. - R. 9 E. T<sup>2</sup><sup>nd</sup> Mer. Indiana. 191

80.00 Set post con. to Secs. 13, 14, 23 & 24 from which  
a Beech 18 in. dia. bears South 26 W. dist. 7  
a Oak 6 " " " N 60 W 35 " "  
Land as last described

East on Random between Secs. 13 & 24 -  
40.00 Set temp. q. sec. post.  
79.50 Intersect Bound. line 50 W. S. of post.

West Corner between Secs. 13 & 24.  
39.75 Set q. sec. post at amaze dist. from which  
a Spruce 12 in. dia. bears N 81 E 13 W. dist. 8  
a Hickory 4 " " " S 82 W 13 " "  
79.50 To Sec. Corner.

North Between Secs. 13 & 14.  
30.00 Set a post & returned  
Balance of line not run.

North Between Secs. 34 & 35.  
21.73 a Beech 18 in. dia.  
40.00 Set q. sec. post from which  
a Beech 18 in. dia. bears - 70 E 10 W. dist. 8  
a Do 15 " " " N 12 W 3 " "  
51.90 a Do 27 " "  
53.20 at Branch 20 W. wide Course E -  
80.00 Set post con. to Secs. 26, 27, 34 & 35 from which  
a Beech 6 in. dia. bears S 30 E 30 W. dist. 8  
a Dogwood 6 " " " N 25 W 23 " "  
October 10<sup>th</sup> 1893.

East on Random between Secs. 26 & 35 -  
5.84 a Stream 19 W. wide. Corner N.  
40.00 Set temp. q. sec. post.  
79.80 Intersect N.W. line 50 W. S. of post.



192 S. D. N. - N. G. E. 2<sup>nd</sup> Mer. Indiana

West corner between Secs. 26 & 35  
39.90 Set of sec. post at average dir. from which  
a Sugar 24 in. dia. bears East 33 W. dir. &  
a Beech 9 " " West 23 " "  
39.80 To Sec. Corner.

North between Secs. 26 & 27  
20.28 a B. Ash 18 in. dia.  
34.21 a Buckeye 15 " "  
40.00 Set of sec. post from which  
a Hackberry bears S 14 W 33 W. dir. &  
a Bur Oak " N 17 W 13 " "  
45.00 Intersect Maback River & set post from which  
a Buckeye 6 in. dia. bears S 12 E 24 W. dir. &  
a Do 8 " " S 20 W 16 " "  
48.50 Over River & set post from which  
an Elm 8 in. dia. bears N 35 E 8 W. dir. &  
a Hickory 5 " " N 38 E 9 " "  
53.00 a Spring from N.E.  
63.00 a Buckeye 12 in. dia.  
70.66 a Beech 36 " "  
80.00 Set post cor. to Secs. 22, 23, 26 & 27 from which  
an Ironwood 4 in. dia. bears S 27 W 13 W. dir. &  
a B. Ash 24 " " N 83 E 4 " "  
1<sup>st</sup> 1/2 mile, hilly 2<sup>nd</sup> rate. Last 1/2 level & rich  
Timber Ash, Sugar, Beech & Ironwood. Spruce &

East on Random between Secs. 26 & 26-  
40.00 Set temp. of sec. post.  
79.90 Intersect Mt. line 40 W. S. of post.

West corner between Secs. 23 & 26-  
39.95 Set of sec. post at average dir. from which  
a Sugar 20 in. dia. bears S 37 W 37 W. dir. &  
a Beech 18 " " N 73 E 4 " "  
79.90 To Sec. Corner.

T. D. N. - R. G. E. 3<sup>rd</sup> Mer. Indiana. 193

North Between Secs. 22 & 23 -

- 15.23 a Beech 26 in. dia.  
 40.00 Set g. sec. post from which  
 a Bur Oak 18 in. dia. bears South 21 W. dir. &  
 a B. Ash 6 " " " N 21 W 28 "  
 52.50 a Stream 23 W. wide Coun. S. W.  
 53.00 a Maple 24 in. dia.  
 80.00 Set post ca. to Secs. 14, 15, 22 & 23 fr. which  
 a Lyrn 24 in. dia. bears South 5 W. dir. &  
 a W. Oak 18 " " " N 32 W 14 "  
 Land lent 2<sup>nd</sup> rate. wet. Timber Oak. Elm  
 & Beech. ung<sup>th</sup> Ironwood. Ash &c.

East on Random between Secs. 14 & 23 -

- 40.00 Set temp. g. sec. post -  
 80.58 Intersect M. line 3 W. E. of post.

West Correct between Secs. 14 & 23 -

- 40.29 Set g. sec. post at average dir. from which  
 a Cherry 14 in. dia. bears 79 E 28 W. dir. &  
 a Bur Oak 10 " " " N 62 W 4 "  
 80.58 To Sec. Corner  
 Land & Timber as last described

North Between Secs. 14 & 15 -

- 12.94 an Elm 20 in. dia.  
 15.54 a Bayou 15 W. wide.  
 22.63 Intersect Little River & set post from which  
 an Elm 24 in. dia. bears S 30 W 27 W. dir. &  
 an Ironwood 5 " " " S 4 E 37 " "

North Between Secs. 33 & 34 -

- 8.00 a Stream 14 W. wide Coun. N. E.  
 18.57 a Sugar 27 in. dia.  
 40.00 Set g. sec. post from which  
 a Beech 15 in. dia. bears S 8 E 27 W. dir. &

T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana.

a Hickory 14 in. dia. head N 49 W 12 W. dir.  
 57.82 a Log on 27 —  
 58.50 a Stream 12 W. wide Corn N.W.  
 80.00 Set post Co. to Sect. 27, 28, 33 & 34 from which  
 a Beech 24 in. dia. head N 28 W 28 W. dir. &  
 a Hickory 18 — — N 58 E 11 —

East on Random between Sect. 27 & 34 —  
 40.00 Set temp. q. sec. post.  
 79.96 Intersect N. line 40 W. S. of post.

West correct between Sect. 27 & 34 —  
 39.98 Set q. sec. post at average dist. from which  
 a Oak 24 in. dia. head S 71 E 32 W. dir. &  
 a Log 6 — — N 72 W 30 —  
 79.96 To Sec. Corn October 11<sup>th</sup> 1833.

North Between Sect. 27 & 28 —

23.08 a Buckeye 15 in. dia.  
 40.00 Set q. sec. post from which  
 an Ironwood 4 in. dia. head S 44 E 29 W. dir. &  
 a Do 5 — — N 45 W 18 —  
 53.19 an Elm 20 —  
 60.63 a Stream 30 W. wide Corn N.E.  
 63.30 " Do. 25 " " " N.W.  
 64.60 " Do. 30 " " " N.E.  
 77.58 Intersect Wabash River Set post from which  
 a Log 27 in. dia. head N 79 W 76 W. dir. &  
 a Do 6 — — N 88 W 36 —  
 80.00 Co. to Sect. 21, 22, 27 & 28 in River.

East on Random between Sect. 22 & 27  
 2.50 on River Corn N.W.  
 40.00 Set temp. q. sec. post.  
 50.00 a Stream 12 W. wide Corn S.  
 79.86 Intersect N. & S. line 30 W. S. of post.

J. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana 195

West Corner between Secs. 21 & 27.

- 39.93 Set g. sec. post at average dist. from which  
a Sugar 14 in. dia. bears N 80 E 18 W. dir. }  
a Beech 8 " " " S 63 W 33 " " }
- 37.36 Set post on N. E. Side of River from which  
a W. Oak 24 in. dia. bears S 83 - 40 W. dir. }  
a Do 30 " " " N 61 E 41 " " }
- 79.86 To Sec. corner.

North Between Secs. 21 & 22.

- 3.00 over the River & set post from which  
a W. Oak 13 in. dia. bears N 62 E 39 W. dir. }  
a Do 15 " " " N 34 E 48 " " }
- 14.46 a S. Oak 18 " " "
- 40.00 Set g. sec. post from which  
a Bur Oak 15 in. dia. bears S 6 E 14 W. dir. }  
a Syc 10 " " " West 46 " " }
- 63.94 an Ironwood 8 " " "
- 64.50 a Stream 28 W. wide corner W.
- 72.60 Intersect Little River & set post from which  
a Beech 24 in. dia. bears South 3 W. dir. }  
a Do 8 " " " S 74 E 20 " " }

North Between Secs. 32 & 33.

- 22.80 a Beech 12 in. dia.
- 40.00 Set g. sec. post from which  
a Hickory 24 in. dia. bears S 27 E 6 W. dir. }  
a W. Oak 18 " " " West 3 " " }
- 62.30 a Beech 15 " " "
67. " a Cherry 26 " " "
- 70.80 a Stream 22 W. wide corner W.
- 80.00 Set post cor. to Secs. 28, 29, 32 & 33 from which  
a W. Oak 36 in. dia. bears South 42 W. dir. }  
an Ironwood 5 " " " North 11 " " }
- Land 2<sup>nd</sup> rate. Timber Oak. Elm. Beech &  
Sugar. Ung<sup>th</sup>. Ash. Ironwood. Spruce & Sugar.



196 T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana

East on Random between Secs. 28 & 33 -

40.00 Set temp. g. sec. post.

80.00 Intersect N.W. line 50 W. S. of post.

West correct between Secs. 28 & 33 -

40.00 Set g. sec. post at an angle dist. from which  
a Beech 20 in. dia. bears N 15° W 6 W. dist. of  
a B. Oak 12 " " " S 35° W 10 " "

80.00 To Sec. corner.

North Between Secs. 28 & 29 -

33.10 a Beech 18 in. dia.

34.41 a W. Oak 24 " "

40.00 Set g. sec. post from which  
a Beech 18 in. dia. bears S 9° E 11 W. dist. of  
a W. Oak 24 " " " N 14° W 14 " "

54.91 a Do 27 " "

59.50 a Stream 12 W. wide corner E.

62.00 a Do 14 " " " N.W.

67.40 a Do 18 " " " E.

80.00 Set post cor. to Secs. 20-21-28 & 29 from which  
a Buckeye 4 in. dia. bears S 81° E 19 W. dist. of  
a Beech 24 " " " West 2 " "  
Land hilly 2<sup>nd</sup> rate. Timber as before.

East on Random between Secs. 31 & 28 -

5.40 a Stream 14 W. wide corner N.

17.25 a Spring from S.W.

40.00 Set temp. g. sec. post.

..... Intersect Wabash River

79.64 Intersect N.W. line 26 W. S. of post

West correct between Secs. 31 & 28 -

..... Set post on N. side of River from which  
a Buckeye 18 in. dia. bears S 68° W 167 W. dist. of  
a Bur Oak 28 " " " S 53° W 148 " "



T. 28 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana 197

39.82 Set q. sec. post at average dist. from which  
at Beech 20 in. dia. bears S 86 W 17 W. dir.  
an Ironwood 6 " " " N 85 E 41 " "

79.64 To Sec. Corner.

North Between Secs. 20 & 21

10.05 Intersect Indian Reserve 25.64 West of  
the S. E. Corner of 2<sup>nd</sup> Reserve. Set post.  
a Spruce 18 in. dia. bears N 45 E 6 W. dir.  
at R. Oak 12 " " " S 45 W 11 " "  
October 12<sup>th</sup> 1823 -

North Between Secs. 31 & 32 -

18.28 an Elm 42 in. dia.

40.00 Set q. sec. post from which  
at Beech 12 in. dia. bears S 14 E 17 W. dir.  
a Do 13 " " " N 28 E 11 " "

49.50 at R. Oak 40 " "

65.50 at Branch 26 ft. wide Course S. W.

76.71 at Beech 18 in. dia.

80.00 Set post cn. to Secs. 29, 30, 31 & 32 fr. which  
at Beech 10 in. dia. bears S 11 E 14 W. dir.  
at W. Oak 18 " " " N 26 E 7 " "

East and Random between Secs. 29 & 32

40.00 Set temp. q. sec. post.

79.20 Intersect W. line 117 W. S. of post.

West Corner between Secs. 29 & 32 -

39.60 Set q. sec. post at average dist. from which  
at Beech 8 in. dia. bears N 57 E 18 W. dir.  
a Do 10 " " " West 1 " "

79.20 To Sec. Corner.

West Between Secs. 30 & 31 -

17.81 a Sugar 24 in. dia.

198 T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana

20.00 a Stream 35 Wt. wide Cross N.W.

34.58 a Beech 27 in. dia.

40.00 Set g. sec. post from which  
an Ironwood 8 in. dia. bears S 76 E 36 Wt. of  
a Beech 15 " " " S 76 W 30 " "

53.38 Intersect E. Bound. of Dix (mile Reserve)  
Set post from which

a Beech 12 in. dia. bears S 69 E 28 Wt. dir. of  
a Do 12 " " " N 53 W 20 " "

North Return Secs. 29 & 30

13.50 a Hickory 18 in. dia.

40.00 Set g. sec. post from which  
a Beech 21 in. dia. bears S 22 E 20 Wt. dir. of  
a Do 15 " " " N 30 W 7 " "

53.00 a W. Oak 60 " "

65.25 a Sugar 31 " "

80.00 Set Post Cn. to Secs. 19, 20, 29 & 30 fr. which  
a W. Oak 15 in. dia. bears South 90 Wt. dir. of  
a B. Oak 18 " " " N 12 E 4 " "

East on Random between Secs. 20 & 29.

40.00 Set temp. g. sec. post.

79.50 Intersect N.W. line 17 Wt. E. of post.

West correct between Secs. 20 & 29.

39.75 Set g. sec. post at average dist. from which  
a Hickory 4 in. dia. bears S 88 W 11 Wt. dir. of  
an Ironwood 6 " " " N 87 E 40 " "

79.50 To Sec. Corner.

West Return Secs. 19 & 30.

15.63 a B. Walnut 30 in. dia.

33.08 a Beech 30 " "

40.00 Set g. sec. post from which  
a Beech 27 in. dia. bears East 19 Wt. dir. of

T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indian 199

a Buckeye 20 in. dia. bears S 60 W 36 W. dist.  
 45.00 a Stream 20 W. wide Corner S. W.  
 51.50 Intersect E. Bound. of Dix Mule Reserve.  
 13.64 South of C. W. Corner of Richardsville's  
 Reserve - Set a post from which  
 a Birch 15 in. dia. bears S 44 E 19 W. dist.  
 an Ironwood 5 " " " West 20 " "

North Between Secs. 19 & 30.

6.67 a Cherry 18 in. dia.  
 12.54 Intersect Indian Reserve East post -  
 a B. Ash 27 in. dia. bears N 68 W 11 W. dist.  
 a Do 34 " " " S 41 E 14 " "  
 Land here 2<sup>nd</sup> rate. Timber. Ash, Beech  
 & Oak. much Ironwood. Spice. Sugar  
 Logwood. October 13<sup>th</sup> 1893

Meanders of Mabash River  
 Beginning at post in East Boundary  
 of Richardsville's Reserve on S. W. Bank  
 of River thence up stream

Course	Distances	Remarks.
S 69 E	16.00	In Sec. 21
South	5.00	
S 22 W	8.12	
S 8 W	7.75	
S 26 W	2.67	
S 12 E	3.96	at 6.2 W. a Stream 9 W. wide from the S. W. & lower end of Island.
S 27 E	4.88	at 3.67 a Branch 7 W. wide from South
S 35 E	5.36	
S 70 E	8.30	at 3.50 upper end of Island. a Stream 50 W. wide from S. W.
N 67 E	3.50	
S 85 E	3.90	Lower end of an Island.
East	9.50	at 5.50 upper end of Do -

D 71 E	12.00	
D 32 E	5.32	To post in line of sec. 21 & 28
D 16 E	2.71	To post in line of sec. 27 & 28
D 39 E	6.00	In Sec. 27
D 31 E	6.65	
D 34 E	3.36	Wells of the Wabash River
South	1.50	
D 32 E	5.50	
D 40 E	5.24	
D 22 E	2.60	at 1.79 a stream 3 1/2 m. wide fr. S.W.
D 6 E	5.00	
D 12 E	10.00	
D 42 E	8.00	
D 74 E	3.15	
N 58 E	1.60	
N 53 E	4.50	
N 46 E	1.25	at 79 W. a stream 16 m. wide from S.E.
N 27 E	2.50	
N 6 E	4.73	Lower end of Island.
N 16 E	2.50	
N 55 E	3.50	at 2.50 Upper end of Island.
N 32 E	4.62	
N 50 E	4.50	
N 62 E	6.35	
N 45 E	6.23	
N 60 E	1.68	
N 76 E	2.98	
East	2.13	
D 56 E	3.69	
D 48 E	2.00	
D 30 E	4.50	
D 28 E	3.57	at 53 W. a stream 13 m. wide fr. S.W.
D 60 E	10.13	
D 42 E	1.85	



*S. 28 N. - N. 9 E. 2<sup>nd</sup> Mer. Indiana. 201*

S63 E	1.27	To post in line of sec. 26 & 27
S66 E	3.10	In Sec. 26.
S57 E	4.15	
S65 E	3.61	
S33 E	1.53	
S20 E	1.53	
S22 E	1.50	
South	2.77	Lower end of an Island.
S21 W	19.27	
S44 W	1.84	
S7 -	1.75	Upper end of Island.
S10 E	4.07	at 3.88 Stream 14 W. wide fr. South.
S33 E	3.50	
S50 E	2.79	
S62 E	2.66	
S76 E	2.75	at 60 W. a stream 4 W. wide fr. S.E.
S57 E	1.79	
N66 E	2.61	
N48 E	2.32	
N30 E	3.00	
N54 E	3.50	
N65 E	3.74	
N75 E	1.56	
N80 E	2.75	
N84 E	2.62	
N82 E	3.50	at 1.50 Lower end of Island.
S84 E	2.95	
S77 E	4.05	
S61 E	3.15	(at 2.00 upper end of do)
S64 E	1.50	
S75 E	2.00	
S78 E	3.60	
East	2.70	
N72 E	2.57	at 50 W. Stream 15 W. wide from S.W.
S74 E	1.75	



289 E	2.22	Lean Island on upper end.
272 E	6.63	
250 E	2.37	Lower end of an Island
279 E	5.32	{ at 2.00 a stream 30 W. ends from S.
270 E	3.03	

To post in line of sec. 25 & 26.

280 E 3.14 In Sec. 25 Lean Island.

276 E 1.97

287 E 1.00

261 E 3.87

245 E 2.87

240 E 4.78

212 E 5.00

232 E 3.54

249 E 4.69

257 E 2.14

270 E 2.50 1.50 Lower end of Island.

278 E 6.60

286 E 4.29

270 E 1.12

280 E 1.57

288 E 2.37 upper end of Island.

282 E 6.70

288 E 3.00

277 E 2.26 Lower end of an Island.

272 E 3.54

264 E 1.55

275 E 1.75

256 E 1.75 upper end of Island.

241 E 2.94

230 E 10.75

218 E 4.50

21 E 2.00 To post in line of sec. 25 & 26.

22 E 4.66 In Sec. 36.

210 E 2.00

J. D. N. W. G. E. 2<sup>nd</sup> Mer. Indiana 203

S 5 E	2.00	
S 8 E	2.83	Lower end of Island.
South	3.34	
<del>S 23 W</del>	<del>4.26</del>	
S 39 W	2.26	Lean Island.
S 50 W	5.90	
S 37 E	2.63	
S 14 E	2.50	
S 35 E	1.55	
S 63 E	1.90	
S 80 E	2.74	
N 82 E	2.00	
East	6.08	
S 76 E	2.63	To post in East Boundary -

Thence cross the River & meander  
down Stream as follows (on N. bank)  
Remarks.

Courses	Distances	Remarks.
S 63 W	3.54	In Sec. 36.
N 80 W	4.06	upper end of an Island
N 8 W	3.90	1.50 lower end of Do
N 30 E	4.57	
N 34 E	1.76	
N 10 E	2.63	1.36 a stream 12 yds wide from N.W.
N 11 W	2.12	
N 23 W	1.61	
N 10 W	6.79	
N 6 W	5.56	To post in line of sec. 25 & 36
N 6 W	2.39	In Sec. 25
N 18 W	7.50	
N 35 W	4.55	
N 29 W	5.29	
N 34 W	6.60	
N 48 W	6.00	
N 53 W	5.25	

Wier	3.14	2.57 upper end of an Island.
N80 W	16.75	
N85 W	4.23	
N67 W	3.73	Lower end of Island.
N59 W	6.55	
N50 W	3.91	
N38 W	3.67	
N16 W	5.56	
N24 W	4.84	
N65 W	5.06	
N80 W	4.50	
N5 W	1.00	To post in line of sec. 25 & 26 - north bank
N68 W	6.05	In Sec. 26. upper end of Island 5.50 a stream 10 W. ends from N.E.
N80 W	7.66	
N64 W	5.07	
N73 W	5.00	
N82 W	4.00	
N81 W	4.54	
Wier	5.18	5.00 a stream 9 W. ends from N.E.
N75 W	3.73	Lower end of Island.
N86 W	3.07	
N76 W	5.00	
N80 W	4.87	
N66 W	4.09	
N48 W	3.99	
N35 W	2.57	
N52 W	2.36	
N63 W	2.07	
N87 W	2.31	
N62 W	2.50	
N49 W	2.44	
N30 W	1.88	
North	2.88	
N25 E	4.77	

J. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana 205

N20 E 4.19

N30 E 3.19

N12 E 4.00

N5 E 3.60

N47 W 3.88

N10 W 1.64

N5 W 3.60

N20 W 2.87

N33 W 2.20

N68 W 4.50

N52 W 3.61

1.47 stream 10 W. wide fr. N.E.

N60 W 2.71

N56 W 2.27

To post in line of sec. 26 & 27.

In Sec. 27

N60 W 3.78

60 W. a Branch 6 W. wide from N.E.

N67 W 3.63

N48 W 4.00

1.30 a Branch 4 W. wide fr. N.E.

N36 W 3.83

N25 W 1.25

N38 W 3.82

N57 W 3.06

N80 W 3.78

N76 W 5.04

N68 W 5.94

N51 W 10.00

N44 W 2.55

N55 W 2.00

N34 W 3.43

N6 W 2.13

N6 E 6.18

N18 W 1.72

N35 W 2.59

N60 W 2.31

N85 W 2.16

N47 W 2.30



206 J. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana

N33W 5.00

N18W 2.76

N5W 2.68

N2E 2.00

N8E 2.23

N5W 2.73

N28W 3.88

N36W 3.53

N47W 2.10

N40W 3.50

N37W 3.60

N35W 11.17

N40W 4.03

Flats of the Wabash -

To post in line of sec. 22 & 27

N30W 3.33

To post in line of sec. 21 & 22.

N37W 5.87

In Sec. 21

N33W 3.00

N36W 3.43

N34W 3.00

1.25 a spring from N.E.

Near 7.15

N35W 6.23

N37W 4.56

N35W 3.04

N46W 1.39

Upper end of an Island.

N6W 2.50

N28W 3.15

N64W 3.62

N33W 3.10

Lower end of Island.

N38W 2.10

N10W 1.87

N14E 10.14

N30E 4.91

N36E 1.76

N3W 2.50

N16W 6.44

J. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana. 207

N25W	3.05	
N69W	3.00	
N25W	1.68	upper end of an Island.
N60W	4.06	
N74W	4.03	
N66W	1.50	
N49W	3.81	Lower end of Island.
N41W	2.12	
N47W	4.30	
N37W	6.34	
N30W	3.64	
N39W	2.77	
N45W	5.04	
N40W	2.31	
N46W	4.33	
N38W	2.81	
N34W	4.00	
N42W	2.30	
N55W	1.44	Indian Village
N83W	2.57	To the Forks of the Wabash.

Thence up Little River on South bank

Courses	Distances	Remarks
N55E	2.28	
N83E	6.12	
N73E	2.08	
N56E	1.77	
N44E	2.05	
N34E	1.36	
N29E	6.50	
N45E	4.50	To line of sec. 16 & 21 by protraction
N53E	3.89	In Sec. 21
N46E	3.08	
N69E	1.87	
N76E	3.50	

S 83 E	3.89
S 65 E	2.53
S 40 E	4.08
S 52 E	4.06
N 85 E	2.00
S 84 E	1.62
S 64 E	1.58
S 55 E	6.00
S 80 E	6.72
East	3.70
N 85 E	4.57
N 80 E	5.00
N 83 E	1.89
East	2.71
N 52 E	1.20
N 30 E	3.73
N 52 E	7.91

a stream 33 W. wide from S. E.

This course intersects the line between Sect. 31 & 32. Protracting down stream from line of Sect. 14 & 15

N 70 E	2.91
N 32 E	4.90

at about 4 chains on this course, to line between Sect. 15 & 22 at about 4 ch. East of Cn. of Sect. 15. 16. 21 & 22

N 53 E	12.44	In Sec. 15
N 48 E	2.56	
N 65 E	3.00	
N 72 E	3.59	
N 77 E	10.09	
East	1.95	
S 86 E	3.70	
N 80 E	1.63	
N 58 E	11.65	
N 70 E	2.53	
N 72 E	5.47	
N 47 E	2.03	

*S. 28 N. W. 9 E. 2<sup>nd</sup> Mer. Indiana. 209*

N 84 E	2.57	
S 72 E	3.13	
S 78 E	4.70	
N 76 E	1.56	
S 79 E	4.62	
N 80 E	1.73	
N 85 E	1.06	To past in line of sec. 14 & 15.

S 85 E	3.43	In Sec. 14
--------	------	------------

S 76 E	2.03	
--------	------	--

S 66 E	2.97	
--------	------	--

S 86 E	2.00	
--------	------	--

S 88 E	5.45	
--------	------	--

N 82 E	2.20	
--------	------	--

N 76 E	6.94	
--------	------	--

N 49 E	3.24	
--------	------	--

N 53 E	2.43	
--------	------	--

N 60 E	2.50	
--------	------	--

N 57 E	2.73	
--------	------	--

N 61 E	1.59	
--------	------	--

N 70 E	3.12	
--------	------	--

N 81 E	2.50	
--------	------	--

East	3.20	
------	------	--

S 75 E	3.09	
--------	------	--

S 60 E	3.13	
--------	------	--

S 65 E	1.50	
--------	------	--

S 58 E	2.41	
--------	------	--

S 74 E	2.94	
--------	------	--

N 88 E	3.77	
--------	------	--

N 80 E	2.47	
--------	------	--

N 76 E	1.53	
--------	------	--

N 82 E	3.94	
--------	------	--

N 88 E	3.08	
--------	------	--

N 79 E	3.69	
--------	------	--

N 47 E	1.69	
--------	------	--

N 55 E	4.50	This intersects 13 & 14 by Protraction
--------	------	--



210 T 28 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

N 74 E	6.59	In Sec. 13.
N 76 E	20.70	
N 55 E	2.10	
N 79 E	5.00	
N 84 E	2.95	
N 80 E	8.67	
N 65 E	3.63	
N 53 E	7.92	
N 63 E	2.06	
N 76 E	1.64	
N 65 E	5.70	
N 54 E	3.94	
N 46 E	5.50	
N 35 E	2.65	
N 60 E	1.93	
N 76 E	9.27	crosses Range Line (E. Boundary of Sec. 13) at about 3 chains

October 16<sup>th</sup> 1893 Surveyed by  
D. Willis Dep. Sur.

West Petrow Secs 12 & 13  
17.55 a B. Oak 30 in. dia.  
40.00 Set gr. Sec. post from which  
a W. Oak 10 in. dia. bears S 30 E 19 W. dist.  
an Ash " " " N 44 W 33 " "  
56.35 a Buckeye 10 " "  
" " a Creek 12 W. wide Course S  
80.00 an Ash Cor. to Secs 11, 12, 13 & 14 from which  
a Hickory in dia. bears S 16 W 35 W. dist.  
an Elm 15 " " " N 42 W 14 " "  
Land lent 3<sup>rd</sup> rate. Oak. Berch. Elm. Ash &c.

South Petrow Secs 13 & 14  
20.75 a Creek 12 W. wide Course W.  
21.00 a W. Oak 12 in. dia.  
36.00 Little River Set post from which

T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana. 211

a W. Oak 15 in. dia. bears N 76 E or W. dir. of  
a Do 15 " " " S 68 W 15 " "  
Land rolling 3<sup>rd</sup> rate. Oak.

North Return Secs. 11 & 12

23.00 an Oak 7 in. dia.

34.00 a Pond

40.00 Set of sec. post from which  
an Elm 7 in. dia. bears S 5 E 16 W. dir. of  
an Oak 10 " " " N 55 W 15 " "

40.50 Leave the Pond.

45.25 an Oak 20 in. dia.

50.00 Set post cor. to Secs. 1, 2, 11 & 12 from which  
a W. Oak 18 in. dia. bears N 21 E 29 W. dir. of  
a Do 20 " " " S 44 E 47 " "  
1<sup>st</sup> 1/2 mile level. Last 1/2 rolling 3<sup>rd</sup> rate.

East on Random between Secs. 1 & 12

40.00 Set temp. of sec. post.

60.00 a Stream 10 ft. wide Cross S. W.

81.75 Intersect E. Bound. line 55 W. S. of post.  
Land rolling 3<sup>rd</sup> rate.

West correct between Secs. 1 & 12

40.87 Set of sec. post at average dist. from which  
a Beech 24 in. dia. bears N 18 E 10 W. dir. of  
a H. Locust 12 " " " S 9 W 18 " "

81.75 S. Sec. Corner.

North Return Secs. 1 & 2

34.00 a B. Oak 30 in. dia.

36.00 Enter a Swamp.

40.00 Set of sec. post in Swamp.

53.00 Leave the Swamp.

80.16 Intersect N. Bound. line 306 W. N. of post.  
where set post cor. to Secs. 1 & 2 from which

J. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indians

a Hickory 12<sup>th</sup> in. dia. bears S 34 W 3<sup>rd</sup> W. dist. 8  
 a Do 12 " " " N 35 E 14 " "  
 Land lent 3<sup>rd</sup> rate. Ash. Beech. New. P. Oak &c

## West Petition Secs. 11 &amp; 14

28.25 an Oak 15 in. dia.

41.00 Set of sec. post from which  
 a Beech 6 in. dia. bears S 48 W 3<sup>rd</sup> W. dist. 8  
 a Buckeye 5 " " " N 64 E 13 " "

56.50 an Elm 30 " "

76.75 a Creek 15<sup>th</sup> wide course S.

80.00 Set post cor. to Secs. 10, 11, 14 & 15 fr. which  
 a Beech 18 in. dia. bears S 18 E 3<sup>rd</sup> W. dist. 8  
 an Ironwood 4 " " " N 77 E 13 " "  
 Land lent 3<sup>rd</sup> rate. Elm. Beech &c.

## South Petition Secs. 14 &amp; 15.

11.00 a Creek 18<sup>th</sup> wide course S. E.

12.50 Do 15 " " " S. W.

40.00 Set of sec. post from which  
 a W. Oak 20 in. dia. bears N 51 W 5<sup>th</sup> W. dist. 8  
 a Do 24 " " " South 70 "

47.36 To Little River & set post from which  
 a Sugar 4 in. dia. bears S - E 31 W. dist. 8  
 a W. Oak 12 " " " N 73 W 19 " "  
 Land rolling 2<sup>nd</sup> rate. Ash. Beech &c.

## North Petition Secs. 10 &amp; 11

12.00 a Creek 15<sup>th</sup> wide course S. E.

19.00 Do 15 " " " S. W.

20.00 a W. Oak 10 in. dia.

20.75 Creek 15<sup>th</sup> wide course S. E.

40.00 Set of sec. post from which  
 a Beech - in. dia. bears N 60 W 38<sup>th</sup> W. dist. 8  
 a Do 10 " " " S 41 E 29 " "

57.30 a Sugar 18 " "

T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana 213

80.00 Set post Co. to Sec. 2, 3, 10 & 11 from which  
a Birch 12 in. dia. bears S 26 E 11 W. dir. &  
a Do 18 " " " N 52 W 30 " "  
1<sup>st</sup> 1/2 mile 1<sup>st</sup> rate. Last 1/2 rolling 2<sup>nd</sup> rate.  
Ash. Birch. Sugar & Spice. Ash &c.

East and Random between Sec. 2 & 11  
40.00 Set temp. gr. sec. post.  
79.98 Intersect N. line 3 W. N. of post.  
Sand rolling 2<sup>nd</sup> rate.

West Corner between Sec. 2 & 11.

39.99 Set gr. sec. post at average dir. from which  
a W. Oak 36 in. dia. bears S 53 W 25 W. dir. &  
a Do 18 " " " N 52 E 19 " "  
79.98 To Sec. Corner. April 22<sup>nd</sup> 1828

North Between Sec. 2 & 3.

8.20 a Hickory 15 in. dia.  
40.00 Set gr. sec. post from which  
a W. Oak 18 in. dia. bears N 62 E 20 W. dir. &  
a Sugar 15 " " " S 55 W 14 " "  
43.00 a Creek 12 W. wide corner S. W.  
49.75 an Elm 24 in. dia.  
79.91 Intersect N. Bound. line 3.20 W. N. of post.  
where set post Co. to Sec. 2 & 3 from which  
a Birch 8 in. dia. bears S 63 E 27 W. dir. &  
a Do 15 " " " N 63 W 36 " "  
Sand rolling 2<sup>nd</sup> rate. Ash. Birch &c.

West Between Sec. 10 & 15.

18.40 a Birch 24 in. dia.  
37.70 Intersect E. Bound. of Reserve & set post.  
a Sugar 10 in. dia. bears S 49 E 36 W. dir. &  
a Birch 12 " " " S 55 W 34 " "  
Sand rolling 2<sup>nd</sup> rate. Sugar. Birch. Spice. Ash &c.



J. D. N. H. G. E. 2<sup>nd</sup> Mer. Indiana.

South on Reserve Line

50.45 To South<sup>East</sup> Corner of Reserve

West Between Secs. 3 &amp; 10

15.00 a Beech 12 in. dia.

18.40 a Creek 12 ft. wide corner S.

37.00 Intersect E. Bound. of Reserve West post.

a Beech 14 in. dia. bears S 21 E 22 ft. dir. of

a Do 12 " " " N 50 W 35 " "

Land rolling 2<sup>nd</sup> rate. Beech, Ash,  
Hickory & ang<sup>l</sup>. Spruce.

North on Reserve Line

53.29 To North East Corner of Reserve

South Between Secs. 3 &amp; 4.

6.00 a Beech 18 in. dia.

35.25 Intersect N. Bound. of Reserve West post

a W. Oak 24 in. dia. bears S 81 W 13 ft. dir. of

a Do 24 " " " S 65 E 14 " "

Land level 2<sup>nd</sup> rate. Beech, Oak, Spruce &

East on Reserve Line

39.91 To North East Corner of Reserve

South Between Secs. 4 &amp; 5

23.75 Intersect N. Bound. of Reserve West post

a Beech 15 in. dia. bears N 35 W 32 ft. dir. of

a Do 12 " " " N 42 E 15 " "

Land level 2<sup>nd</sup> rate. Beech, Hickory.

South Between Secs. 5 &amp; 6-

13.75 a Sugar 20 in. dia.

21.00 a Stream 6 ft. wide corner E-

23.25 Intersect N. Bound. of Reserve West post

a Beech 20 in. dia. bears S 74 E 6 ft. dir. of

J. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana. 215

a Beech 12 in. dia. bears S 73 W 15 W. dir.  
 Sand very rolling 2<sup>nd</sup> rate. Beech. Sugar &c

West on Resum Line

102.45 To North West Corner of Resum

Meanders of Little River Beginning  
 at post on N. bank S. E. Corner of Resum  
 Church up stream - from lower point of Island.

Courses	Distances	Remarks -
N 36 E	5.00	In Sec. 15.
S 78 E	7.00	3.00 upper point of Island.
N 68 E	4.50	
N 47 E	1.50	50 W. a stream 15 from North.
N 21 E	3.50	
S 86 E	8.00	4.00 lower point of Island.
S 70 E	11.00	5.00 upper " " "
S 88 E	2.95	To post in line of sec. 14 & 15 -
East	22.50	In Sec. 14
N 27 E	11.50	
N 74 E	10.00	4.50 at branch 5 W. side from North.
East	7.50	
S 75 E	14.00	
N 71 E	10.50	
N 78 E	9.50	8.32 post in line of sec. 13 & 14.
N 84 E	19.00	In Sec. 13.
N 71 E	12.50	
East	13.00	
N 60 E	40.57	To post in East Boundary. -

In pursuance of a contract with and in-  
 structions from Edward Tiffin Surveyor  
 General of the United States and Conformably  
 to the laws of the U. S. I have surveyed and

T. 28 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana.

Subdivided into Sections Township No. 28  
North, of Range No. 9 East, of the Fort  
Wayne district, Indiana. And I Certify  
that the foregoing are correct field Notes of  
the survey of said Township  
Certified this 25<sup>th</sup> day of June 1828  
W. Bently Dep. Sur.

Subdivision of the Portion of Six  
Mile Reserve lying in T. 28 N. - R. 9 E. -

East Between Sect. 30 & 31

16.76 Intersect E. Bound. of Six Mile Reserve 372  
links South of post. Set post from which  
a Beech 18 in. dia. has S 70 E. 20 the dir.  
a Sugar 20 " " " N 21 W 33 " "  
Land rolling 2<sup>nd</sup> rate.

East Between Sect. 19 & 30.

18.20 Intersect E. Bound. of Six Mile Reserve 752  
links South of post. Set post from which  
a Sugar 22 in. dia. has S 48 W 29 the dir.  
a Buckeye 18 " " " N 81 E 32 " "  
Land rolling 2<sup>nd</sup> rate.

October 26<sup>th</sup> 1839 Surveyed by  
C. Carter Dep. Sur.

T. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana. 217

I certify that the foregoing transcript of  
the Field Notes of Township 28 North,  
in Range 9 East of the 9<sup>th</sup> Meridian in  
Indiana, has been compared with the  
Original in this Office, and found  
to be correct.

Clerk of General Office.  
Cincinnati June 9<sup>th</sup> 1843

William Shuttler  
Supt. Genl. -